

Website

cololight.com

Business

business@cololight.com

Support

service@cololight.com



A LifeSmart Brand
COLOLIGHT

A LifeSmart Brand

A LifeSmart Brand

Table of Contents

A LifeSmart Brand

LIGHT FOR PASSION

LIGHT FOR PASSION.

03-04

Brand Philosophy

05-06

Brand Introduction

A LifeSmart Brand

07-08

Uniqueness of
RGB light

09-12

COLO PLAY
COLO GCS

Like a lot of gamers, I've always dreamed of creating the ultimate gaming room—somewhere that blends efficiency, flexibility, comfort, and an incredible sensory experience.

13-16

COLOLIGHT
PRO/TRIANGLE

17-24

COLOLIGHT
MIX/MIX ACID/STRIP

This includes powerful gaming hardware, a super comfy gaming chair, a killer audio system, and lighting that sets the perfect mood.

25-26

Gaming Room
Applications

27-28

Partnerships

29

Contact Us

Currently cololight products have been on the shelves of global mainstream e-commerce platforms. We welcome more excellent partners to join hands to create a better future.

COLOLIGHT

Brand Philosophy

Light For Passion

Our mission is to harness the power of light to fuel passion and creativity. By offering customizable, dynamic lighting options, we aim to help our users create the perfect ambiance for any activity, especially gaming. With Cololight, every game becomes an adventure, every moment more intense, and every experience more memorable.



A Light That Illuminates the Soul

Life needs a touch of color, and Cololight brings your passion to life with delicate hues.

Cololight connects with the younger generation on a psychological level. We aim for our lights and technology to heal the soul, enhancing the quality of every solitary moment.



Versatile for Various Scenes

Transform your gaming and eSports space, as well as your everyday desk setup, with Cololight's atmospheric lighting. It also serves as a source of inspiration for audiovisual enthusiasts. Perfect for creating a festive vibe, it can even light up collectible figurines, blending different worlds in style.



Join us on our journey as we continue to innovate and inspire, bringing light to life in ways you never imagined. With Cololight, light is not just for seeing; it's for feeling, experiencing, and living.




COLOLIGHT

introduction

Based on LifeSmart

The company boasts over 300 self-developed



COLOLIGHT' s Global Commercial Partnerships

COLOLIGHT



Uniqueness of RGB light

Maximum Customization

Cololight gives users full creative control to fulfill all their lighting fantasies.

Users can not only assemble and disassemble the light panels but also customize the color of each light bead through the Cololight app.

LOREM IPSUM DOLOR CONSECUTUR ADIP



1452-3436

15%




Outstanding Designs

Cololight pays attention to the smallest details. The mechanical structure on the back of Cololight HEXA and MIX, along with the mechanical connectors, ensures a better assembly experience for users.



Smooth Lighting Effects

Each light bead supports 16 million RGB colors, resulting in more delicate lighting colors. A variety of complex and exquisite built-in lighting effects in the app allow beginners to enjoy the ambiance.



OZONE

Small text block describing a feature or effect, likely related to the 'OZONE' lighting mode.


Other Features include

Sync to music

Eye protection mode

Third party integrations

Group control via Cololight App



COLOPLAY



The COLO PLAY desktop controller is an all-in-one solution for your desk setup. It supports one-click PC startup, real-time monitoring of CPU, GPU, and other hardware stats, and features a multifunctional keypad with macro recording to boost work efficiency.

Compatible with Razer drivers, it can sync with Cololight and other RGB devices to create a personalized and dynamic desk environment.

⏻ Keypad | PC Switch | Dashboard

📺 COLO Controller

⚡ Super Saiyan Mode | Streaming Mode

🕒 App Library | Open Source



SCREEN

Size	1.28-inch TFT
Screen Resolution	240*240

PRODUCT

Model	LS169
Operation temperature	-5~45C
Working humidity	5~95%
Power supply	DC 5V 2A
Power consumption	<10W
Interface	Type-C
Control modes	Button / Knob / Desktop App
Wireless transmission	2.4 GHz Wi-Fi

appearance

Colour	Black/white
Size	143*112*98
Weight	870g
Material Quality	ABS+Zinc alloy
Key	Kaihua Choc Switch
Key life	> 100K times
LED light strip/Button light	1600w RGB

What's in the box?

COLO PLAY x 1
USB Type-C charging cable x 1
Instructions x 1
Sticker x 1

STORAGE

RAM 8M
Flash 16M

COLO GCS

Gaming Chair Speaker

The COLO GCS is the world's first 7.1.2 immersive 3D surround sound system designed exclusively for PC users. Equipped with 11 independent speakers and a physical dome channel, its chair-mounted structure saves desk space while delivering a boundary-free panoramic audio experience for gamers, audiophiles, and content creators. A unique multi-unit audio solution for gaming rooms.



Immersive 7.1.2 Channel Surround Sound

4 MODE Modes

360° Spatial Audio Positioning

Industrial-Chic Mechanical Design

7.1.2



PRODUCT

Model	LS608
Color	Black
Voltage Range	DC 12V/3A
Power	36W
Standby Power	0.5W
Indicator Light	LED Indicator Light
Bluetooth Range	10M

Frequency Response	20Hz-20KHz
FL/FR: 20Hz-40KHz	
Signal-to-Noise Ratio (SNR)	>70db
Operating Temperature	0°C to 40°C
Storage Temperature	-20°C-60°C/90%RH

PARTS LIST

COLO GCS x 1
Back Plate x 1
Overhead Channel x 2
Power Adapter x 1
HDMI Cable x 1
Belt Cover x 2




COLOLIGHT PRO

The COLOLIGHT PRO Light is a stylish smart LED light featuring a unique hexagonal design and seamless modular assembly. With 16 million RGB colors and dynamic effects, it's easily controlled via the COLOLIGHT app or voice assistants (e.g.Razer, Stream Deck, and IFTTT).

Allow freeform arrangements for wall art, desk setups, and more. Sync lights to music beats for an immersive vibe.



- Every Single LED Programmable
- Dynamic Lighting Effects | Music Visualizer
- Desktop | Wall Install
- Group Control with Cololight Device's



PRODUCT

Model Number	LS166A3
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<5W
Interface	USB Type-A
Control Mode	Button APP Voice Music Sync Stream Deck
Extension Ability	Each controller can support up to 255 light panels
Radio Protocol	Wi-Fi 2.4GHz

CONSTRUCTION

Color	White
Dimension	86*74 5*30 5mm
Package	LS166A3:78*72*176mm
Gross Weight	LS166A3: 290g
Casing	ABS+PC

LED

LED Quantity	19
LED Category	Built-in drive IC (Every single LED programmable) Surface mounted SMD LED
Color	16 million colors
Color Rendering Index	>80
Luminous Flux Per Panel	8.5 lumens
Lifetime	30,000 hours

What's in the box (LS166A6)


- Light Panel x6
- Connector x6
- Fixator x 4
- Controller x 1
- Stone Base x 1

What's in the box (LS166A3)

- Light Panel x 3
- Connector x3
- Controller x 1
- Plastic Basex1

COLOLIGHT TRIANGLE

This modular smart lighting system features ultra-thin triangular panels, 16 million RGB colors, and dynamic effects controlled via app or voice commands. Music sync lets lights pulse to beats, elevating any space.



Super Thin Design and Wall Mounted

Music Visualizer

Multiple Connection Slots

Group Control with Cololight Device



PRODUCT Cololight Triangle KIT 6pcs

Model Number	LS165A6
Operating Temperature	-10~40°C
Operating Humidity	0~85%
Power Supply	DC 24V
Power Consumption	<12W
Interface	4-pin
Control Mode	Button APP Voice Music Sync Stream Deck
Extension Ability	Each controller can control up to 170 pcs of panels
Radio Protocol	Wi-Fi 2.4GHz

Cololight Triangle EXTENSION 3pcs

Model Number	LS165E3
Operating Temperature	-10~40°C
Operating Humidity	0~85%
Power Supply	DC 24V
Power Consumption	<6W
Interface	4-pin
Extension Ability	Each controller can control up to 170 light panels

CONSTRUCTION

Color	White
Dimension	176*153*8mm
Panel	176*153*8mm
Package	LS165A6:290*240*100mm LS165E3:290*240*50mm
Gross Weight	LS165A6:955g LS165E3:455g
Casing	ABS+PC

LED

LED Quantity	6
Color	16 million colors
Color Rendering Index	≥80
Lifetime	30,000 hours

装箱清单 (LS165A6)

Cololight Triangle KIT 6pcs
Light Panel x 6
User Manualx1
3M Adhesive tape x 20
Connecting plate x 6
Controller x1
Power adaptor x1

COLOLIGHT MIX

The MIX is a modular smart LED system with 16 million RGB colors and effects, controllable via app or voice. Magnetic attachments enable creative arrangements, while music sync adds rhythm to your ambiance.



- Every Single LED Programmable
- Dynamic Lighting Effects | Music Visualizer
- Desktop | Wall Install | Magnetic Mounted
- Group Control with Cololight Devices



LED	
LED Quantity	37
LED Category	Built-in drive IC (Every single LED programmable)
Surface mounted	SMD LED
Color	16 million colors
Color Rendering Index	≥80
Luminous Flux Per Panel	16.5 lumens
Lifetime	30,000 hours

CONSTRUCTION

Color	Matte black
Dimension	Panel: 128*128*30.6mm Package: 164*65*157mm

Gross Weight	LS168A: 340g LS168E: 310g
Casing	ABS+PC

PRODUCT (Cololight MIX)

Model Number	LS168A
Operating Temperature	-5~45C
Operating Humidity	5~90%
Power Supply	DC 5V1A DC24V 18650Battery
Power Consumption	<5W
Interface	Type-C Power input DC 24V Power input 18650 Battery Input
Control Mode	Button APP Voice Music Sync Stream Deck
Radio Protocol	Wi-Fi 2.4GHz

PRODUCT (Cololight MIX Extension)

Model Number	LS168E
Operating Temperature	-5~45C
Operating Humidity	5~95%
Power Supply	DC4V
Power Consumption	<5W
Interface	DC 24V Power input
Control Mode	Need to work with the MIX Core light through the connecting plate

What's in the box (Cololight MIX)

- Light Panelx1
- User Manual x1
- USB Type-C cable x1
- 3M Adhesive Tape x 2
- Connecting Platex2

What's in the box (Cololight MIX Extension)

- Extension Light Panel x1
- User Manualx1
- 3M Adhesive Tape x 2
- Connecting Platex2



COLOLIGHT MIX ACID

The MIX ACID blends trendy design with smart tech. This modular LED light offers 16 million RGB colors, app/voice control, and music sync. Magnetic connections enable endless creativity.

- ♡ Fresh Color scheme
- 🔗 Gesture Control | Bluetooth Connection
- 📶 Desktop | Wall Install | Magnetic Mounted
- 🔌 Group Control



CONSTRUCTION

Color	White / Pink
Size	128*128*30.6mm
	Package 164*65*157mm
Weight	220g (without battery weight)
Material	ABS+PC

LED

LED Quantity	37
LED Category	Built-in drive IC Surface mounted SMD LED
Color	16 million colors
Color Rendering Index	≥80
Luminous Flux Per Panel	16.5 lumen
Lifetime	30,000 hours

PRODUCT

Model Number	LS168P
Operating Temperature	-5~45C
Operating Humidity	5~95%
Power Supply	DC5V1A DC24V Battery 18650
Maximum power	<5W
Interface	Type-C DC 24V Battery 18650
Control Mode	Gesture Key App Stream Deck
Wireless Transmission	Bluetooth® Low Energy (supports BLE mesh)

What's in the box (Cololight MIX)

- Packing list
- MIX Acid×1
- User manual×1
- QSG×1
- Sticker ×1
- USB Type-C×1
- 3M tapex2
- Connecting plate x 2

Other accessories (Need to buy separately)

- 5V 2A adapter
- DC 24V 1A adapter
- 18650 battery



COLOLIGHT STRIP

Available in 30-LED and 60-LED versions, these strips feature 16 million RGB colors, dynamic effects, and app/voice control.

Cut, connect, and stick them anywhere—ideal for home decor, parties, or commercial spaces. Music sync transforms rooms into immersive hubs.



Every Single LED Programmable

Music Visualizer | Dance with Music


Cuttable at Any Length

Group Control with Cololight Devices



30-LED for accents | 60-LED for large spaces

Perfect for gaming rooms and personalized lighting.



PRODUCT (Cololight Strip | 30LEDS/M)

Model Number	LS167S3
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Interface	USB Type-A
Control Mode	Button APP Voice Music Sync Stream Deck
Cut Ability	Yes(Built-in drive IC for every single LED, can be cut beside any LED)
Extension Ability	Each controller can support up to 8 meters strip
Radio Protocol	Wi-Fi 2.4GHz

PRODUCT (Cololight Strip Extension | 30LEDS/M)

Model Number	LS908
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Cut Ability	Yes(Built-in drive IC for every single LED, can be cut beside any LED)
Extension Ability	Each controller can support up to 8 meters strip

CONSTRUCTION

Color	White
Dimension	Strip:2000*13*2mm PLUS controller: 46.5*30.5*28mm Package: LS167S3: 168*158*60mm Package: LS908: 133*20*133mm
Gross Weight	LS167S3:328g LS908: 114g

LED

LED Quantity	30 LEDs/M; 60 LEDs/piece
LED Category	Built-in drive IC (Every single LED programmable) Surface mounted SMD LED
Color	16 million colors

Color Rendering Index	≥80
Luminous Flux Per Panel	120 lumes(2m)
Lifetime	30,000 hours

What's in the box (LS167S3)

Light Strip (2M) x 1
Connect Line x 1
Controller x1
3M adhesive tap
Hook x6
User Manualx1

PRODUCT (Cololight Strip | 60LEDS/M)

Model Number	LS167S6
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Interface	USB Type-A
Control Mode	Button APP Voice Music Sync Stream Deck
Cut Ability	Yes(Built-in drive IC for every single LED, can be cut beside any LED)
Extension Ability	Each controller can support up to 4 meters strip
Radio Protocol	Wi-Fi 2.4GHz

PRODUCT (Cololight Strip Extension | 60LEDS/M)

Model Number	LS909
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Cut Ability	Yes(Built-in drive IC for every single LED, can be cut beside any LED)
Extension Ability	Each controller can support up to 4 meters strip

CONSTRUCTION

Color	White
Dimension	Strip:2000*13*2mm PLUS controller: 46.5*30.5*28mm Package: LS167S3: 168*158*60mm Package: LS908: 133*20*133mm
Gross Weight	LS167S6:334g LS909: 15g

LED

LED Quantity	60 LEDs/M; 120 LEDs/piece
LED Category	Built-in drive IC (Every single LED programmable) Surface mounted SMD LED
Color	16 million colors
Color Rendering Index	≥80

Luminous Flux Per Panel	240 lumes(2m)
Lifetime	30,000 hours

What's in the box (LS167S6)

Light Strip (2M) x 1
Connect Line x 1
Controller x1
3M adhesive tap
Hook x6
connection buckle x 1
User Manualx1

COLOLIGHT STRIP

Screen Sync Edition

This edition of light strips is engineered specifically for screen integration, elevating gaming, movie-watching, and work experiences to unprecedented levels. Featuring dynamic transitions across 16 million vivid colors synchronized with on-screen content, it extends the visual spectrum beyond display boundaries to craft a richly layered immersive environment. The real-time color-matching technology amplifies screen hues, transforming any space into a synchronized canvas of atmospheric illumination.



- 4-Segment Design for Screens
- Fits flat or curved displays
- Sync with Other COLOLIGHT Devices



PRODUCT SPECIFICATIONS	
Model Number	LS167S6
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Interface	USB Type-A
Radio Protocol	Wi-Fi 2.4GHz



COLOLIGHT

Customer Case-Offline Channel Customer

Rich experience in selling esports products: serves as distributor for over 30 esports brands such as Razer and Logitech, Established sales and channel deployment in brick-and-mortar stores: operates 20+ stores nationwide, covering 400+ resellers.



Website
cololight.com

Business
business@cololight.com

HANGZHOU
22nd Floor, Yuesheng International Center, 518
Pinglan Road, Xiaoshan District

SHENZHEN
2nd Floor, Building 2, Fengzeyuan Warehouse
& Distribution Center, 3029 Shahe West Road,
Nanshan District

Official



Instagram



Facebook



Discord



YouTube



TikTok

