

**Website**  
cololight.com

**Business**  
business@cololight.com

**Support**  
service@cololight.com

A LifeSmart Brand  
COLOLIGHT

A LifeSmart Brand

A LifeSmart Brand

A LifeSmart Brand

A LifeSmart Brand

# LIGHT FOR PASSION

# LIGHT FOR PASSION.

**03-04**  
Brand Philosophy

**05-06**  
Brand Introduction

A LifeSmart Brand

**07-08**  
Uniqueness of  
RGB light

**09-12**  
COLO PLAY  
COLO GCS

Like a lot of gamers, I've always dreamed of creating the ultimate gaming room—somewhere that blends efficiency, flexibility, comfort, and an incredible sensory experience.

**13-16**  
COLOLIGHT  
PRO/TRIANGLE

**17-24**  
COLOLIGHT  
MIX/MIX ACID/STRIP

This includes powerful gaming hardware, a super comfy gaming chair, a killer audio system, and lighting that sets the perfect mood.

**25-26**  
Gaming Room  
Applications

**27-28**  
Partnerships

**29**  
Contact Us

Currently cololight products have been on the shelves of global mainstream e-commerce platforms. We welcome more excellent partners to join hands to create a better future.

# COLOLIGHT

## Brand Philosophy

### Light For Passion

Our mission is to harness the power of light to fuel passion and creativity. By offering customizable, dynamic lighting options, we aim to help our users create the perfect ambiance for any activity, especially gaming. With Cololight, every game becomes an adventure, every moment more intense, and every experience more memorable.



### A Light That Illuminates the Soul

Life needs a touch of color, and Cololight brings your passion to life with delicate hues.

Cololight connects with the younger generation on a psychological level. We aim for our lights and technology to heal the soul, enhancing the quality of every solitary moment.



### Versatile for Various Scenes

Transform your gaming and eSports space, as well as your everyday desk setup, with Cololight's atmospheric lighting. It also serves as a source of inspiration for audiovisual enthusiasts. Perfect for creating a festive vibe, it can even light up collectible figurines, blending different worlds in style.



Join us on our journey as we continue to innovate and inspire, bringing light to life in ways you never imagined. With Cololight, light is not just for seeing; it's for feeling, experiencing, and living.



# COLOLIGHT

## introduction

Launched in 2018, Cololight quickly gained momentum with its edgy lighting and leading intelligence. Founded with a vision to revolutionize the way we experience light, Cololight has always been at the forefront of innovative lighting solutions. From our humble beginnings, we have grown into a leading name in the smart lighting industry, known for our cutting-edge technology and commitment to quality.

### Based on LifeSmart

Cololight is a sub-brand of LifeSmart. Founded in 2013, LifeSmart is one of the leading brands offering smart home products and solutions globally.

Over the past 11 years, LifeSmart has served more than 4 million users in over 100 countries, enhancing their daily lives with innovative technology.

Recognized as a "National High-Tech Enterprise" by the Chinese government, LifeSmart prides itself on its cutting-edge advancements.

The company boasts over 300 self-developed



### COLOLIGHT' s Global Commercial Partnerships

# COLOLIGHT



## Uniqueness of RGB light

### Maximum Customization

Cololight gives users full creative control to fulfill all their lighting fantasies.

Users can not only assemble and disassemble the light panels but also customize the color of each light bead through the Cololight app.

LOREM IPSUM DOLOR CONSECTETUR ADIPISCIN



### Outstanding Designs



Cololight pays attention to the smallest details. The mechanical structure on the back of Cololight HEXA and MIX, along with the mechanical connectors, ensures a better assembly experience for users.

1452-3436  
**15%**



### Smooth Lighting Effects

Each light bead supports 16 million RGB colors, resulting in more delicate lighting colors. A variety of complex and exquisite built-in lighting effects in the app allow beginners to enjoy the ambiance.



### OZONE

Nulla peripetis, unde  
omnis tunc natus error id  
velitiam accipiam  
differenciae hinc, hinc  
solum non apertum natus hinc, quae ad illi hinc  
omnibus hinc, hinc hinc  
sunt, quibus. Hinc hinc  
hinc hinc, hinc hinc  
velitiam id, hinc hinc  
velitiam id, hinc hinc  
consequatur magis hinc hinc, quae hinc hinc

### Other Features include

Sync to music


Eye protection mode

Third party integrations

Group control via Cololight App



# COLOPLAY



The COLO PLAY desktop controller is an all-in-one solution for your desk setup. It supports one-click PC startup, real-time monitoring of CPU, GPU, and other hardware stats, and features a multifunctional keypad with macro recording to boost work efficiency.

Compatible with Razer drivers, it can sync with Cololight and other RGB devices to create a personalized and dynamic desk environment.

⏻ Keypad | PC Switch | Dashboard

📺 COLO Controller

⚡ Super Saiyan Mode | Streaming Mode

🕒 App Library | Open Source



## SCREEN

Size	1.28-inch TFT
Screen Resolution	240*240

## PRODUCT

Model	LS169
Operation temperature	-5~45C
Working humidity	5~95%
Power supply	DC 5V 2A
Power consumption	<10W
Interface	Type-C
Control modes	Button / Knob / Desktop App
Wireless transmission	2.4 GHz Wi-Fi

## appearance

Colour	Black/white
Size	143*112*98
Weight	870g
Material Quality	ABS+Zinc alloy
Key	Kaihua Choc Switch
Key life	> 100K times
LED light strip/Button light	1600w RGB

## What's in the box?

- COLO PLAY x 1
  - USB Type-C charging cable x 1
  - Instructions x 1
  - Sticker x 1
- ## STORAGE
- RAM 8M
  - Flash 16M

# COLO GCS

## Gaming Chair Speaker

The COLO GCS is the world's first 7.1.2 immersive 3D surround sound system designed exclusively for PC users. Equipped with 11 independent speakers and a physical dome channel, its chair-mounted structure saves desk space while delivering a boundary-free panoramic audio experience for gamers, audiophiles, and content creators. A unique multi-unit audio solution for gaming rooms.



📍 Immersive 7.1.2 Channel Surround Sound

🔊 4 MODE Modes

📍 360° Spatial Audio Positioning

🔧 Industrial-Chic Mechanical Design

# 7.1.2



### PRODUCT

Model LS608  
 Color Black  
 Voltage Range DC 12V/3A  
 Power 36W  
 Standby Power 0.5W  
 Indicator Light LED Indicator Light  
 Bluetooth Range 10M

Frequency Response 20Hz-20KHz  
 FL/FR: 20Hz-40KHz  
 Signal-to-Noise Ratio (SNR) >70db  
 Operating Temperature 0°C to 40°C  
 Storage Temperature -20°C-60°C/90%RH

### PARTS LIST

COLO GCS x 1  
 Back Plate x 1  
 Overhead Channel x 2  
 Power Adapter x 1  
 HDMI Cable x 1  
 Belt Cover x 2


# COLOLIGHT PRO

The COLOLIGHT PRO Light is a stylish smart LED light featuring a unique hexagonal design and seamless modular assembly. With 16 million RGB colors and dynamic effects, it's easily controlled via the COLOLIGHT app or voice assistants (e.g. Razer, Stream Deck, and IFTTT).

Allow freeform arrangements for wall art, desk setups, and more. Sync lights to music beats for an immersive vibe.



- Every Single LED Programmable
- Dynamic Lighting Effects | Music Visualizer
- Desktop | Wall Install
- Group Control with Cololight Device's



## PRODUCT

Model Number	LS166A3
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<5W
Interface	USB Type-A
Control Mode	Button   APP   Voice   Music Sync   Stream Deck
Extension Ability	Each controller can support up to 255 light panels
Radio Protocol	Wi-Fi 2.4GHz

## CONSTRUCTION

Color	White
Dimension	86*74 5*30 5mm
Package	LS166A3:78*72*176mm
Gross Weight	LS166A3: 290g
Casing	ABS+PC

## LED

LED Quantity	19
LED Category	Built-in drive IC (Every single LED programmable) Surface mounted SMD LED
Color	16 million colors
Color Rendering Index	>80
Luminous Flux Per Panel	8.5 lumens
Lifetime	30,000 hours

## What's in the box (LS166A6)


- Light Panel x6
- Connector x6
- Fixator x 4
- Controller x 1
- Stone Base x 1

## What's in the box (LS166A3)

- Light Panel x 3
- Connector x3
- Controller x 1
- Plastic Basex1

# COLOLIGHT TRIANGLE

This modular smart lighting system features ultra-thin triangular panels, 16 million RGB colors, and dynamic effects controlled via app or voice commands. Music sync lets lights pulse to beats, elevating any space.




≡ Super Thin Design and Wall Mounted

🎵 Music Visualizer

🔗 Multiple Connection Slots

👤 Group Control with Cololight Device



## Cololight Triangle EXTENSION 3pcs

Model Number LS165E3

Operating Temperature -10~40°C

Operating Humidity 0~85%

Power Supply DC 24V

Power Consumption <6W

Interface 4-pin

Extension Ability Each controller can control up to 170 light panels

## LED

LED Quantity 6

Color 16 million colors

Color Rendering Index >80

Lifetime 30,000 hours

## PRODUCT Cololight Triangle KIT 6pcs

Model Number LS165A6

Operating Temperature -10~40°C

Operating Humidity 0~85%

Power Supply DC 24V

Power Consumption <12W

Interface 4-pin

Control Mode Button | APP | Voice | Music Sync | Stream Deck

Extension Ability Each controller can control up to 170 pcs of panels

Radio Protocol Wi-Fi 2.4GHz

## CONSTRUCTION

Color White

Dimension 176\*153\*8mm

Panel 176\*153\*8mm

Package LS165A6:290\*240\*100mm  
LS165E3:290\*240\*50mm

Gross Weight LS165A6:955g

LS165E3:455g

Casing ABS+PC

## 装箱清单 (LS165A6)

Cololight Triangle KIT 6pcs

Light Panel x 6

User Manualx1

3M Adhesive tape x 20

Connecting plate x 6

Controller x1

Power adaptor x1

# COLOLIGHT MIX

The MIX is a modular smart LED system with 16 million RGB colors and effects, controllable via app or voice. Magnetic attachments enable creative arrangements, while music sync adds rhythm to your ambiance.



- ⦿ Every Single LED Programmable
- 🎵 Dynamic Lighting Effects | Music Visualizer
- 📍 Desktop | Wall Install | Magnetic Mounted
- 👤 Group Control with Cololight Devices



LED	
LED Quantity	37
LED Category	Built-in drive IC (Every single LED programmable)
Surface mounted	SMD LED
Color	16 million colors
Color Rendering Index	≥80
Luminous Flux Per Panel	16.5 lumens
Lifetime	30,000 hours

CONSTRUCTION	
Color	Matte black
Dimension	Panel: 128*128*30.6mm Package: 164*65*157mm

Gross Weight	LS168A: 340g LS168E: 310g
Casing	ABS+PC

PRODUCT (Cololight MIX)	
Model Number	LS168A
Operating Temperature	-5~45C
Operating Humidity	5~90%
Power Supply	DC 5V1A DC24V 18650Battery
Power Consumption	<5W
Interface	Type-C Power input   DC 24V Power input   18650 Battery Input
Control Mode	Button   APP   Voice   Music Sync Stream Deck
Radio Protocol	Wi-Fi 2.4GHz

PRODUCT (Cololight MIX Extension)	
Model Number	LS168E
Operating Temperature	-5~45C
Operating Humidity	5~95%
Power Supply	DC4V
Power Consumption	<5W
Interface	DC 24V Power input
Control Mode	Need to work with the MIX Core light through the connecting plate



What's in the box (Cololight MIX)	
Light Panelx1	
User Manual x1	
USB Type-C cable x1	
3M Adhesive Tape x 2	
Connecting Platex2	
What's in the box (Cololight MIX Extension)	
Extension Light Panel x1	
User Manualx1	
3M Adhesive Tape x 2	
Connecting Platex2	



# COLOLIGHT MIX ACID

The MIX ACID blends trendy design with smart tech. This modular LED light offers 16 million RGB colors, app/voice control, and music sync. Magnetic connections enable endless creativity.

- ♡ Fresh Color scheme
- 🔗 Gesture Control | Bluetooth Connection
- 🖱️ Desktop | Wall Install | Magnetic Mounted
- 👤 Group Control



PRODUCT	
Model Number	LS168P
Operating Temperature	-5~45C
Operating Humidity	5~95%
Power Supply	DC5V1A DC24V Battery 18650
Maximum power	<5W
Interface	Type-C   DC 24V   Battery 18650
Control Mode	Gesture Key App Stream Deck
Wireless Transmission	Bluetooth® Low Energy (supports BLE mesh)

CONSTRUCTION	
Color	White / Pink
Size	128*128*30.6mm
Weight	220g (without battery weight)
Material	ABS+PC
LED	
LED Quantity	37
LED Category	Built-in drive IC Surface mounted SMD LED
Color	16 million colors
Color Rendering Index	>80
Luminous Flux Per Panel	16.5 lumen
Lifetime	30,000 hours

What's in the box (Cololight MIX)	
Packing list	
MIX Acid×1	
User manual×1	
QSG×1	
Sticker ×1	
USB Type-C×1	
3M tapex2	
Connecting plate x 2	
Other accessories (Need to buy separately)	
5V 2A adapter	
DC 24V 1A adapter	
18650 battery	



# COLOLIGHT STRIP

Available in 30-LED and 60-LED versions, these strips feature 16 million RGB colors, dynamic effects, and app/voice control. Cut, connect, and stick them anywhere—ideal for home decor, parties, or commercial spaces. Music sync transforms rooms into immersive hubs.



- Every Single LED Programmable
- Music Visualizer | Dance with Music
- Cutable at Any Length
- Group Control with Cololight Devices



30-LED for accents | 60-LED for large spaces

Perfect for gaming rooms and personalized lighting.



## PRODUCT (Cololight Strip | 30LEDS/M)

Model Number	LS167S3
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Interface	USB Type-A
Control Mode	Button   APP   Voice   Music Sync   Stream Deck
Cut Ability	Yes(Built-in drive IC for every single LED, can be cut beside any LED)
Extension Ability	Each controller can support up to 8 meters strip
Radio Protocol	Wi-Fi 2.4GHz

## PRODUCT (Cololight Strip Extension | 30LEDS/M)

Model Number	LS908
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Cut Ability	Yes(Built-in drive IC for every single LED, can be cut beside any LED)
Extension Ability	Each controller can support up to 8 meters strip

## CONSTRUCTION

Color	White
Dimension	Strip:2000*13*2mm PLUS controller: 46.5*30.5*28mm Package: LS167S3: 168*158*60mm Package: LS908: 133*20*133mm
Gross Weight	LS167S3:328g LS908: 114g

## LED

LED Quantity	30 LEDs/M; 60 LEDs/piece
LED Category	Built-in drive IC (Every single LED programmable) Surface mounted SMD LED
Color	16 million colors

Color Rendering Index	>80
Luminous Flux Per Panel	120 lumes(2m)
Lifetime	30,000 hours

## What's in the box (LS167S3)

Light Strip (2M) x 1
Connect Line x 1
Controller x1
3M adhesive tap
Hook x6
User Manualx1

## PRODUCT (Cololight Strip | 60LEDS/M)

Model Number	LS167S6
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Interface	USB Type-A
Control Mode	Button   APP   Voice   Music Sync   Stream Deck
Cut Ability	Yes(Built-in drive IC for every single LED, can be cut beside any LED)
Extension Ability	Each controller can support up to 4 meters strip
Radio Protocol	Wi-Fi 2.4GHz

## PRODUCT (Cololight Strip Extension | 60LEDS/M)

Model Number	LS909
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Cut Ability	Yes(Built-in drive IC for every single LED, can be cut beside any LED)
Extension Ability	Each controller can support up to 4 meters strip

## CONSTRUCTION

Color	White
Dimension	Strip:2000*13*2mm PLUS controller: 46.5*30.5*28mm Package: LS167S3: 168*158*60mm Package: LS908: 133*20*133mm
Gross Weight	LS167S6:334g LS909: 15g

## LED

LED Quantity	60 LEDs/M; 120 LEDs/piece
LED Category	Built-in drive IC (Every single LED programmable) Surface mounted SMD LED
Color	16 million colors
Color Rendering Index	>80

Luminous Flux Per Panel	240 lumes(2m)
Lifetime	30,000 hours

## What's in the box (LS167S6)

Light Strip (2M) x 1
Connect Line x 1
Controller x1
3M adhesive tap
Hook x6
connection buckle x 1
User Manualx1

# COLOLIGHT STRIP

## Screen Sync Edition

This edition of light strips is engineered specifically for screen integration, elevating gaming, movie-watching, and work experiences to unprecedented levels. Featuring dynamic transitions across 16 million vivid colors synchronized with on-screen content, it extends the visual spectrum beyond display boundaries to craft a richly layered immersive environment. The real-time color-matching technology amplifies screen hues, transforming any space into a synchronized canvas of atmospheric illumination.





- 4-Segment Design for Screens
- Fits flat or curved displays
- Sync with Other COLOLIGHT Devices



### PRODUCT SPECIFICATIONS

Model Number	LS167S6
Operating Temperature	-5~45°C
Operating Humidity	5-90%
Power Supply	DC 5V 2A
Power Consumption	<10W
Interface	USB Type-A
Radio Protocol	Wi-Fi 2.4GHz



# COLOLIGHT

## Customer Case-Offline Channel Customer

Rich experience in selling esports products: serves as distributor for over 30 esports brands such as Razer and Logitech, Established sales and channel deployment in brick-and-mortar stores: operates 20+ stores nationwide, covering 400+ resellers.



Website  
cololight.com

Business  
business@cololight.com

HANGZHOU  
22nd Floor, Yuesheng International Center, 518  
Pinglan Road, Xiaoshan District

SHENZHEN  
2nd Floor, Building 2, Fengzeyuan Warehouse  
& Distribution Center, 3029 Shahe West Road,  
Nanshan District

Official



Instagram



Facebook



Discord



YouTube



TikTok

